

**11 kVA Stand by Diesel Generating Set System 520 kVA with Hatz Engine 2L31C**

**Completion:**

|                        |            |                 |           |
|------------------------|------------|-----------------|-----------|
| <b>Generating Set:</b> | stationary | <b>Gen Set:</b> | baseframe |
|------------------------|------------|-----------------|-----------|

**Technical Data Engine:**

|                             |              |                      |                    |
|-----------------------------|--------------|----------------------|--------------------|
| <b>Engine Manufacturer:</b> | Hatz         | <b>Engine Type:</b>  | 2 L 31 C           |
| <b>Engine No.:</b>          | 681188001843 | <b>Engine Power:</b> | 13,5 kW            |
| <b>Cooling:</b>             | aircooled    | <b>Starting:</b>     | electrical 24 V DC |
| <b>Rotation:</b>            | 1500 rpm     | <b>Fuel:</b>         | heating oil EN 590 |

**Technical Data Generator:**

|                                |                 |                      |                 |
|--------------------------------|-----------------|----------------------|-----------------|
| <b>Generator Manufacturer:</b> | Siemens         | <b>Gen Set:</b>      | 1 FH 3166-4CA46 |
| <b>Gen No.:</b>                | 8L63 6113 01003 | <b>Gen Power:</b>    | 11 kVA          |
| <b>Voltage:</b>                | 400 / 231 Volt  | <b>Power Factor:</b> | cos. - phi 0,8  |
| <b>Rotation:</b>               | 1500 rpm        |                      |                 |

**Control Unit:**

|                       |                   |                      |                 |
|-----------------------|-------------------|----------------------|-----------------|
| <b>Setup:</b>         | automatic start   | <b>Functions:</b>    | emergency power |
| <b>Switch:</b>        | gen switch 3 pole | <b>Delivery:</b>     |                 |
| <b>Width ca. mm:</b>  | 800               | <b>Depth ca. mm:</b> | 400             |
| <b>Height ca. mm:</b> | 1.800             |                      |                 |

**Tank**

|                      |                                           |                          |       |
|----------------------|-------------------------------------------|--------------------------|-------|
| <b>Setup:</b>        | Externer Tank, Standtank mit Auffangwanne |                          |       |
| <b>Width ca. mm:</b> | 1.600                                     | <b>Height ca. mm:</b>    | 1.500 |
| <b>Depth ca. mm:</b> | 400                                       | <b>Capacity / Litre:</b> | 500   |

**Dimensions of unit:**

|                       |       |                       |     |
|-----------------------|-------|-----------------------|-----|
| <b>Length ca. mm:</b> | 1.350 | <b>Height ca. mm:</b> | 400 |
| <b>Width ca. mm:</b>  | 730   | <b>Weight ca. KG:</b> | 600 |

**Usage:**

|                          |                |                               |             |
|--------------------------|----------------|-------------------------------|-------------|
| <b>State:</b>            | good condition | <b>year of manufacture:</b>   | 1988        |
| <b>time of delivery:</b> | ex work        | <b>Price plus VAT in 12%:</b> | on request: |
| <b>Operating Hours:</b>  | 267            |                               |             |
| <b>Location:</b>         | Verl - Germany |                               |             |
| <b>Stock No:</b>         | 795            | <b>Reserved:</b>              | ja / yes    |

**Delivery Contents:**

**Product Images**





