

**250 kVA Stand By Generating Set System with DEUTZ MWM Engine TD 232 V 8**

**Completion:**

|                        |            |                 |           |
|------------------------|------------|-----------------|-----------|
| <b>Generating Set:</b> | stationary | <b>Gen Set:</b> | baseframe |
|------------------------|------------|-----------------|-----------|

**Technical Data Engine:**

|                             |              |                      |                    |
|-----------------------------|--------------|----------------------|--------------------|
| <b>Engine Manufacturer:</b> | Deutz / MWM  | <b>Engine Type:</b>  | TD 232 V 8         |
| <b>Engine No.:</b>          | 232.08.03575 | <b>Engine Power:</b> | 299 PS DIN (A)     |
| <b>Cooling:</b>             | water-cooled | <b>Starting:</b>     | electrical 24 V DC |
| <b>Rotation:</b>            | 2300 r.p.m   | <b>Fuel:</b>         | heating oil EN 590 |

**Technical Data Generator:**

|                                |                |                      |                |
|--------------------------------|----------------|----------------------|----------------|
| <b>Generator Manufacturer:</b> | Piller         | <b>Gen Set:</b>      | NKT 200-4      |
| <b>Gen No.:</b>                | 113 42 70      | <b>Gen Power:</b>    | 250 kVA        |
| <b>Voltage:</b>                | 400 / 231 Volt | <b>Power Factor:</b> | cos. - phi 0,8 |
| <b>Rotation:</b>               | 1500 rpm       |                      |                |

**Control Unit:**

|                       |                       |                      |  |
|-----------------------|-----------------------|----------------------|--|
| <b>Setup:</b>         | wired on terminalbock | <b>Functions:</b>    |  |
| <b>Switch:</b>        |                       | <b>Delivery:</b>     |  |
| <b>Width ca. mm:</b>  |                       | <b>Depth ca. mm:</b> |  |
| <b>Height ca. mm:</b> |                       |                      |  |

**Tank**

|                      |  |                          |  |
|----------------------|--|--------------------------|--|
| <b>Setup:</b>        |  | <b>Height ca. mm:</b>    |  |
| <b>Width ca. mm:</b> |  | <b>Capacity / Litre:</b> |  |
| <b>Depth ca. mm:</b> |  |                          |  |

**Dimensions of unit:**

|                       |       |                       |       |
|-----------------------|-------|-----------------------|-------|
| <b>Length ca. mm:</b> | 2.900 | <b>Height ca. mm:</b> | 1.700 |
| <b>Width ca. mm:</b>  | 1.200 | <b>Weight ca. KG:</b> | 3.450 |

**Usage:**

|                          |                |                                   |             |
|--------------------------|----------------|-----------------------------------|-------------|
| <b>State:</b>            | good condition | <b>year of manufacture:</b>       | sold        |
| <b>time of delivery:</b> | ex work        | <b>Price plus VAT in 1/2 1/2:</b> | on request: |
| <b>Operating Hours:</b>  | 150            |                                   |             |
| <b>Location:</b>         | Verl - Germany |                                   |             |
| <b>Stock No:</b>         |                | <b>Reserved:</b>                  |             |

**Delivery Contents:**

dd

**Product Images**





