

Sold STAGE V power generator can also be used as an emergency power system 60 kVA with FPT Iveco engine

Completion:

Generating Set:	stationary	Gen Set:	silent Set
Technical Data Engine:			
Engine Manufacturer:	Iveco FPT	Engine Type:	F34TEVP01.00
Engine No.:	658733	Engine Power:	55 KW STAGE V
Cooling:	water-cooled	Starting:	electrical 12 V DC
Rotation:	1500 rpm	Fuel:	diesel
Technical Data Generator:			
Generator Manufacturer:	Stamford AvK	Gen Set:	UCI224E
Gen No.:	G21L513277	Gen Power:	60 kVA
Voltage:	400 / 231 Volt	Power Factor:	cos. - phi 0,8
Rotation:	1500 rpm		
Control Unit:			
Setup:	automatic start	Functions:	hans & remote
Switch:	gen switch 4 pole	Delivery:	set up
Width ca. mm:		Depth ca. mm:	
Height ca. mm:			
Tank			
Setup:		Height ca. mm:	
Width ca. mm:		Capacity / Litre:	210
Depth ca. mm:			
Dimensions of unit:			
Length ca. mm:	2.660	Height ca. mm:	1.650
Width ca. mm:	1.100	Weighth ca. KG:	1.690
Usage:			
State:	demonstration set	year of manufacture:	2022
time of delivery:	ex work	Price plus VAT in 12%:	on request:
Operating Hours:	1		
Location:	Verl - Germany		
Stock No:		Reserved:	nein / no

Delivery Contents:

Power generator WA I 60 S with the emission standard STAGE V with FPT IVECO engine. Refueling inside. The 110 liter tank is in the base frame with a drip pan according to WHG & AwSV.

Fuel consumption 25% PRP L/h 4.2
Fuel consumption 50% PRP L/h 7.2
Fuel consumption 80% PRP L/h 11.1
Fuel consumption 100% PRP L/h 13.9

Maximum amount of oil: 9.5 liters

SOUND PRESSURE | Sound level dB(A) @ 7 meters 62 ± 2.4

EXHAUST SYSTEM

Maximum temperature exhaust gas operation ° C 760
Maximum permissible back pressure mm H2o 220.1
Outer diameter exhaust pipe mm 90

REQUIRED AMOUNT OF AIR

Maximum air flow rate for combustion m³/h 193.3
Air flow fan motor m³/s 1

RRP including accessories/options: on request net according to the price list

Product Images







